

Verification of Conformity

EMC Directive 2014/30/EU

Certification No. : QTS800223111
Test Report Ref. No. : 61.12.22.0430.02

Holder Of Certificate : FOSHAN ELECTRICAL AND LIGHTING CO.,LTD.
NO. 64 NORTH FENJIANG ROAD, FOSHAN, GUANGDONG, CHINA

Factory : FOSHAN ELECTRICAL AND LIGHTING CO.,LTD.
NO. 64 NORTH FENJIANG ROAD, FOSHAN, GUANGDONG, CHINA

Product : LED Strip Light
Model No. : See model list
Rating: 24VDC, Class III, ta: 0-45°C, others see model list

Standards : EN IEC 55015:2019+A11:2020
EN 61547:2009
EN IEC 61000-3-2:2019+ A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Issued Date: 2023-05-06

Crystal Xie
Chief Director



After preparation of the necessary technical documentation as well as the conformity declaration the required CE mark can be affixed on the product. Other relevant directives have to be observed.



Guangzhou Quality Technology Service Co., Ltd.
Website: www.qts-global.com
E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech
Industry Development Zone, Guangzhou, Guangdong, China
Tel :020-8251 2836

Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0430.02

Model list

Model	Input	Rated Power	Length
24V-2835-60L-IP20-3.2W	24VDC	3.2W/m	Max. 30m
24V-2835-60L-IP20	24VDC	4.2W/m	Max. 30m
24V-2835-60L-IP20-5W	24VDC	5W/m	Max. 30m
24V-2835-90L-IP20	24VDC	4W/m	Max. 30m
24V-2835-120L-IP20	24VDC	8W/m	Max. 30m
24V-2835-120L-IP20-10W	24VDC	10W/m	Max. 30m
24V-2835-120L-IP20-12W	24VDC	12W/m	Max. 30m
24V-2835-120L-IP20-14W	24VDC	14W/m	Max. 30m
24V-2835-126L-IP20	24VDC	8W/m	Max. 30m
24V-2835-128L-IP20	24VDC	9W/m	Max. 30m
24V-2835-168L-IP20	24VDC	12W/m	Max. 30m
24V-2835-238L-IP20	24VDC	18W/m	Max. 30m
24V-2835-180L-IP20	24VDC	14W/m	Max. 30m
24V-2835-192L-IP20	24VDC	16W/m	Max. 30m
24V-2835-204L-IP20	24VDC	17W/m	Max. 30m
24V-2835-240L-IP20-16W	24VDC	16W/m	Max. 30m
24V-2835-240L-IP20-18W	24VDC	18W/m	Max. 30m
24V-2835-240L-IP20	24VDC	20W/m	Max. 30m
24V-2835-360L-IP20	24VDC	28W/m	Max. 30m
24V-2835-378L-IP20	24VDC	35W/m	Max. 30m
24V-2835-504L-IP20	24VDC	45W/m	Max. 30m
24V-5050-30L-IP20-RGB	24VDC	4W/m	Max. 30m
24V-5050-30L-IP20	24VDC	6W/m	Max. 30m
24V-5050-60L-IP20-RGB	24VDC	12W/m	Max. 30m
24V-5050-60L-IP20-8W	24VDC	8W/m	Max. 30m
24V-5050-60L-IP20	24VDC	10W/m	Max. 30m
24V-5050-60L-IP20-11W	24VDC	11W/m	Max. 30m
24V-5050-60L-IP20-15W	24VDC	15W/m	Max. 30m
24V-5050-60L-IP20-24W	24VDC	24W/m	Max. 30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836

Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0430.02

Model list

Model	Input	Rated Power	Length
24V-5050-72L-IP20	24VDC	12W/m	Max. 30m
24V-5050-96L-IP20	24VDC	15W/m	Max. 30m
24V-5050-120L-IP20	24VDC	20W/m	Max. 30m
24V-4040-60L-IP20	24VDC	8W/m	Max. 30m
24V-5730-120L-IP20	24VDC	20W/m	Max. 30m
24V-2216-364L-IP20	24VDC	30W/m	Max. 30m
24V-2110-238L-IP20	24VDC	10W/m	Max. 30m
24V-2110-350L-IP20	24VDC	18W/m	Max. 30m
24V-2110-560L-IP20	24VDC	20W/m	Max. 30m
24V-2110-700L-IP20	24VDC	21W/m	Max. 30m
24V-2835-60L-IP65-3.2W	24VDC	3.2W/m	Max. 30m
24V-2835-60L-IP65	24VDC	4.2W/m	Max. 30m
24V-2835-60L-IP65-5W	24VDC	5W/m	Max. 30m
24V-2835-90L-IP65	24VDC	4W/m	Max. 30m
24V-2835-120L-IP65	24VDC	8W/m	Max. 30m
24V-2835-120L-IP65-10W	24VDC	10W/m	Max. 30m
24V-2835-120L-IP65-12W	24VDC	12W/m	Max. 30m
24V-2835-120L-IP65-14W	24VDC	14W/m	Max. 30m
24V-2835-126L-IP65	24VDC	8W/m	Max. 30m
24V-2835-128L-IP65	24VDC	9W/m	Max. 30m
24V-2835-168L-IP65	24VDC	12W/m	Max. 30m
24V-2835-238L-IP65	24VDC	18W/m	Max. 30m
24V-2835-180L-IP65	24VDC	14W/m	Max. 30m
24V-2835-192L-IP65	24VDC	16W/m	Max. 30m
24V-2835-204L-IP65	24VDC	17W/m	Max. 30m
24V-2835-240L-IP65-16W	24VDC	16W/m	Max. 30m
24V-2835-240L-IP65-18W	24VDC	18W/m	Max. 30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836

Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0430.02

Model list

Model	Input	Rated Power	Length
24V-2835-240L-IP65	24VDC	20W/m	Max. 30m
24V-2835-360L-IP65	24VDC	28W/m	Max. 30m
24V-2835-378L-IP65	24VDC	35W/m	Max. 30m
24V-2835-504L-IP65	24VDC	45W/m	Max. 30m
24V-5050-30L-IP65-RGB	24VDC	4W/m	Max. 30m
24V-5050-30L-IP65	24VDC	6W/m	Max. 30m
24V-5050-60L-IP65-RGB	24VDC	12W/m	Max. 30m
24V-5050-60L-IP65-8W	24VDC	8W/m	Max. 30m
24V-5050-60L-IP65	24VDC	10W/m	Max. 30m
24V-5050-60L-IP65-11W	24VDC	11W/m	Max. 30m
24V-5050-60L-IP65-15W	24VDC	15W/m	Max. 30m
24V-5050-60L-IP65-24W	24VDC	24W/m	Max. 30m
24V-5050-72L-IP65	24VDC	12W/m	Max. 30m
24V-5050-96L-IP65	24VDC	15W/m	Max. 30m
24V-5050-120L-IP65	24VDC	20W/m	Max. 30m
24V-4040-60L-IP65	24VDC	8W/m	Max. 30m
24V-5730-120L-IP65	24VDC	20W/m	Max. 30m
24V-2216-364L-IP65	24VDC	30W/m	Max. 30m
24V-2110-238L-IP65	24VDC	10W/m	Max. 30m
24V-2110-350L-IP65	24VDC	18W/m	Max. 30m
24V-2110-560L-IP65	24VDC	20W/m	Max. 30m
24V-2110-700L-IP65	24VDC	21W/m	Max. 30m
24V-COB288-IP20	24VDC	10W/m	Max.30m
24V-COB320-IP20	24VDC	10W/m	Max.30m
24V-COB420-IP20	24VDC	10W/m	Max.30m
24V-COB528-IP20	24VDC	10W/m	Max.30m
	24VDC	15W/m	Max.30m
24V-COB560-IP20	24VDC	18W/m	Max.30m
24V-COB630-IP20	24VDC	9W/m	Max.30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836


Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0430.02

Model list

Model	Input	Rated Power	Length
24V-3535-60L-IP20	24VDC	6W/m	Max.30m
24V-3535-120L-IP20	24VDC	12W/m	Max.30m
24V-3535-144L-IP20	24VDC	12W/m	Max.30m
24V-2025-280L-IP20	24VDC	14W/m	Max.30m
24V-2835-120L-IP20-RUNNING STRIP	24VDC	10W/m	Max.30m
24V-COB288-IP65	24VDC	10W/m	Max.30m
24V-COB320-IP65	24VDC	10W/m	Max.30m
24V-COB420-IP65	24VDC	10W/m	Max.30m
24V-COB528-IP65	24VDC	10W/m	Max.30m
	24VDC	15W/m	Max.30m
24V-COB560-IP65	24VDC	18W/m	Max.30m
24V-COB630-IP65	24VDC	9W/m	Max.30m
24V-3535-60L-IP65	24VDC	6W/m	Max.30m
24V-3535-120L-IP65	24VDC	12W/m	Max.30m
24V-3535-144L-IP65	24VDC	12W/m	Max.30m
24V-2025-280L-IP65	24VDC	14W/m	Max.30m
24V-2835-120L-IP65-RUNNING STRIP	24VDC	10W/m	Max.30m
24V-ROUND NEON	24VDC	8W/m	Max.30m
	24VDC	10W/m	Max.30m
	24VDC	12W/m	Max.30m
	24VDC	14W/m	Max.30m
24V-NEON	24VDC	8W/m	Max.30m
24V-360°NEON	24VDC	10W/m	Max.30m
	24VDC	12W/m	Max.30m
	24VDC	24W/m	Max.30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836